

<NA>

ROUTE 65

ROCHESTER TWP, PA

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Mar 16, 2026

● 5 Important

Across 4 inspections since 2025, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2026-03-16 (2), General Health and Safety/Included in Ratio/annual Training; 2025-11-19 (1), and Aides Supervised All Times (1). None of the 5 findings were critical.

Inspection Visits

Mar 16, 2026 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2026-03-16**

3270.14/3270.21

3270.31(f) | Health and Safety Training; 2026-03-16 | 3270.94(a)(1) | Every 60 days; 2026-03-16 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Nov 19, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **General Health and Safety/Included in Ratio/annual Training; 2025-11-19**

3270.21/3270.115(a)(8)

3270.21/3270.31(e)(4)(iii) | General Health and Safety/Lifeguard; 2025-11-19 | 3270.21/3270.27(c) | General Health and Safety/Training regarding plan; 2025-11-19 | 3270.27(e) | Letter to parents; 2025-11-19 | 3270.31(e)(4)(i) | Age and Training; 2025-11-19 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-11-19 | 3270.31(f) | Health and Safety Training; 2025-11-19 | 3270.31(f) | Health and Safety Training; 2025-11-19 | 3270.32(a) | Comply with CPSL; 2025-11-19 | 3270.32(a) | Comply with CPSL; 2025-11-19 | 3270.34(a)(6) | Staff evaluations; 2025-11-19 | 3270.34(b)(1)/3270.192(2)(ii) | Bachelor's + 1 yr/Exp, educ., training prior to facility; 2025-11-19 | 3270.37(b)/3270.192(2)(ii) | Aide qualifications/Exp, educ., training prior to facility; 2025-11-19 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-11-19 | 3270.75(a) | In child care spaces; 2025-11-19 | 3270.75(b) | Inaccessible to children; 2025-11-19 | 3270.76 | Building Surfaces; 2025-11-19 | 3270.82(j) | Running water - diapering; 2025-11-19 | 3270.102(a) | Clean and good repair; 2025-11-19 | 3270.106(f) | 2 feet apart; 2025-11-19 | 3270.108(c) | No styrofoam; 2025-11-19 | 3270.113(a) | Supervised at all times; 2025-11-19 | 3270.123(a)(1) | Amount of fee; 2025-11-19 | 3270.124(b)(2) | Physician name, address, phone; 2025-11-19 | 3270.124(b)(3) | Parent home/work address, phone; 2025-11-19 | 3270.124(b)(6) | Insurance coverage information; 2025-11-19 | 3270.124(b)(7) | Name/address/phone release person; 2025-11-19 | 3270.124(c) | Each child care space; 2025-11-19 | 3270.124(f) | Updated every 6 months; 2025-11-19 | 3270.131(e) | ACIP recommended immunization record; 2025-11-19 | 3270.133(3) | Name on bottle; 2025-11-19 | 3270.134(a) | Child's hands washed; 2025-11-19 | 3270.135(c) | Diapering area not used for food prep; 2025-11-19 | 3270.151(c)(1) | Physical examination; 2025-11-19 | 3270.151(c)(1)/3270.192(3) | Physical examination/Health assessment, TB test; 2025-11-19 | 3270.151(c)(2)/3270.192(3) | Mantoux TB/Health assessment, TB test; 2025-11-19 | 3270.27(a)(6) | Emergency plan; 2025-11-19 | 3270.94(a)(1) | Every 60 days; 2025-11-19 | 3270.131(a) | Health information; 2025-11-19 | 3270.171(a) | Pick-up and drop-off points; 2025-11-19 | 3270.36(a)/3270.192(2)(ii) | Assistant Group Supervisor responsibilities/Exp, educ., trai; 2025-11-19 | 3270.94(a)/3270.95(a) | Director or designated staff person responsibility/Devices m

Jun 10, 2025 2 Findings ● 2 Important

● **Pertinent Laws & Regulations; 2025-06-10**

3270.14

3270.21 | General Health and Safety; 2025-06-10 | 3270.31(e)(4)(i) | Age and Training; 2025-06-10 | 3270.106(f) | 2 feet apart; 2025-06-10 | 3270.113(a) | Supervised at all times; 2025-06-10 | 3270.113(a)(1) | Staff assigned to specific children; 2025-06-10 | 3270.94(a)(1) | Every 60 days; 2025-06-10 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

● **Aides Supervised All Times**

3270.37(c)

May 6, 2025 1 Finding ● 1 Important

● **Comply with CPSL; 2025-05-06**

3270.32(a)

3270.192(3) | Health assessment, TB test; 2025-05-06 | 3270.94(a)(1) | Every 60 days; 2025-05-06 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.