

<NA>

272 CHESTNUT ST
MEADVILLE, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 3, 2026

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2025-09-12 (3), Fire Safety - 1 yr./Exp, Educ., Training at Facility; 2026-02-03 (1), and No Physical Punishment (1). None of the 5 findings were critical.

Inspection Visits

Feb 3, 2026 1 Finding ● 1 Important

● **Fire Safety - 1 yr./Exp, Educ., Training at Facility; 2026-02-03**

3270.31(e)(4)(ii)/3270.192(2)(iii)

3270.31(f) | Health and Safety Training; 2026-02-03 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2026-02-03 | 3270.75(c) | Has all items; 2026-02-03 | 3270.76 | Building Surfaces; 2026-02-03 | 3270.111(a) | Written plan; 2026-02-03 | 3270.119 | Infant sleep position; 2026-02-03 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2026-02-03 | 3270.94(a)(1) | Every 60 days; 2026-02-03 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Oct 15, 2025 1 Finding ● 1 Important

● **No Physical Punishment**

3270.113(b)

Sep 12, 2025 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2025-09-12**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-09-12 | 3270.32(a) | Comply with CPSL; 2025-09-12 | 3270.52 | Mixed Age Level; 2025-09-12 | 3270.113(a) | Supervised at all times; 2025-09-12 | 3270.113(a)(1) | Staff assigned to specific children; 2025-09-12 | 3270.123(a)(6)/3270.182(2) | Admission date/Ap- plication, admission, withdrawal dates; 2025-09-12 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Jun 10, 2025 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2025-06-10**

3270.14/3270.21

3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2025-06-10 | 3270.31(f) | Health and Safety Training; 2025-06-10 | 3270.32(a) | Comply with CPSL; 2025-06-10 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-06-10 | 3270.51 | Similar Age Level; 2025-06-10 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-06-10 | 3270.75(a) | In child care spaces; 2025-06-10 | 3270.76 | Building Surfaces; 2025-06-10 | 3270.77(a) | No peeling paint or plaster; 2025-06-10 | 3270.102(a) | Clean and good repair; 2025-06-10 | 3270.103 | Small Toys and Objects; 2025-06-10 | 3270.111(a) | Written plan; 2025-06-10 | 3270.113(a) | Supervised at all times; 2025-06-10 | 3270.113(a)(1) | Staff assigned to specific children; 2025-06-10 | 3270.119 | Infant sleep position; 2025-06-10 | 3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates; 2025-06-10 | 3270.124(c) | Each child care space; 2025-06-10 | 3270.124(e) | Written emergency plan posted; 2025-06-10 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-06-10 | 3270.131(b)(1)/3270.182(1) | Infant: updated health report every 6 months/Initial and sub; 2025-06-10 | 3270.135(a)(3) | Disposable diapers; 2025-06-10 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-06-10 | 3270.166(4) | Bottles labeled; 2025-06-10 | 3270.27(a)(6) | Emergency plan; 2025-06-10 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2025-06-10 | 3270.31(e)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility

Jun 26, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-06-26**

3270.14/3270.21

3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2024-06-26 | 3270.31(f) | Health and Safety Training; 2024-06-26 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2024-06-26 | 3270.34(a)(6) | Staff evaluations; 2024-06-26 | 3270.76 | Building Surfaces; 2024-06-26 | 3270.107 | Refrigerator; 2024-06-26 | 3270.123(a)(3) | Services proceeded; 2024-06-26 | 3270.124(a) | Each child emergency contact person; 2024-06-26 | 3270.124(b)(2) | Physician name, address, phone; 2024-06-26 | 3270.124(b)(3) | Parent home/work address, phone; 2024-06-26 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2024-06-26 | 3270.124(b)(5) | Information re: special needs; 2024-06-26 | 3270.124(f)/3270.181(d) | Updated every 6 months/Dated signature affixed; 2024-06-26 | 3270.131(b)(1)/3270.182(1) | Infant: updated health report every 6 months/Initial and sub; 2024-06-26 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-06-26 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2024-06-26 | 3270.133(5) | Original label; 2024-06-26 | 3270.133(6) | Written consent; 2024-06-26 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2024-06-26 | 3270.27(a)(5) | Emergency plan; 2024-06-26 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-06-26 | 3270.25(a) | Availability of certificate of compliance and applicable reg; 2024-06-26 | 3270.27(f) | Emergency plan; 2024-06-26 | 3270.171(a) | Pick-up and drop-off points

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.