

<NA>

1600 DELMAR DR
FOLCROFT, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Nov 10, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Supervised at All Times; 2024-04-03 (2), Fire Safety - 1 Yr.; 2025-11-10 (1), and Comply with CPSL/CPSL Information; 2024-10-30 (1). None of the 5 findings were critical.

Inspection Visits

Nov 10, 2025 1 Finding ● 1 Important

● Fire Safety - 1 Yr.; 2025-11-10

3270.31(e)(4)(ii)

3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-11-10 | 3270.77(a) | No peeling paint or plaster; 2025-11-10 | 3270.102(a) | Clean and good repair; 2025-11-10 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-11-10 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini

Oct 30, 2024 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2024-10-30

3270.32(a)/3270.192(4)

3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-10-30 | 3270.66(a) | Locked or inaccessible; 2024-10-30 | 3270.75(b) | Inaccessible to children; 2024-10-30 | 3270.76 | Building Surfaces; 2024-10-30 | 3270.77(a) | No peeling paint or plaster; 2024-10-30 | 3270.102(a) | Clean and good repair; 2024-10-30 | 3270.104(a) | Clean, good repair, proper size; 2024-10-30 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2024-10-30 | 3270.182(6) | Signed parental consent for transportation, walking excursio; 2024-10-30 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Apr 3, 2024 1 Finding ● 1 Important

● Supervised at All Times; 2024-04-03

3270.113(a)

3270.113(a) | Supervised at all times; 2024-04-03 | 3270.113(a) | Supervised at all times

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Mar 21, 2024 1 Finding 1 Important

- Supervised at All Times
3270.113(a)

Nov 30, 2023 1 Finding 1 Important

- Protective Outlet Covers 5 Yrs. or Less; 2023-11-30
3270.65

3270.66(a) | Locked or inaccessible; 2023-11-30 | 3270.76 | Building Surfaces; 2023-11-30 | 3270.77(a) | No peeling paint or plaster; 2023-11-30 | 3270.106(a) | Clean, age appropriate; 2023-11-30 | 3270.106(f) | 2 feet apart; 2023-11-30 | 3270.124(b)(2) | Physician name, address, phone; 2023-11-30 | 3270.124(b)(3) | Parent home/work address, phone; 2023-11-30 | 3270.124(b)(6) | Insurance coverage information; 2023-11-30 | 3270.131(c) | Completed or signed by physician, PA, or CRNP; 2023-11-30 | 3270.131(d)(5)/3270.131(e)(1) | Immunization record/Exemption documentation from parent/guar; 2023-11-30 | 3270.182(3) | Consent for emergency medical care required prior to admission; 2023-11-30 | 3270.182(4) | Consent for administration of medications or special dietary; 2023-11-30 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2023-11-30 | 3270.182(6) | Signed parental consent for transportation, walking excursion; 2023-11-30 | 3270.94(a)(9) | Written record; 2023-11-30 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports; 2023-11-30 | 3270.171(a) | Pick-up and drop-off points

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.