

<NA>

120 BEALE RD
SARVER, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Sep 12, 2025



● 5 Important

Across 5 inspections since 2024, the issues cited most often were Every 60 Days; 2025-09-12 (1), General Health and Safety; 2025-04-25 (1), and Health and Safety Training; 2024-11-15 (1). None of the 5 findings were critical.

Inspection Visits

Sep 12, 2025 1 Finding ● 1 Important

● Every 60 Days; 2025-09-12

3270.94(a)(1)

3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Apr 25, 2025 1 Finding ● 1 Important

● General Health and Safety; 2025-04-25

3270.21

3270.27(b) | Plan reviewed/updated annually; 2025-04-25 | 3270.27(c) | Training regarding plan; 2025-04-25 | 3270.31(e)(4)(i) | Age and Training; 2025-04-25 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-04-25 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-04-25 | 3270.34(a)(6) | Staff evaluations; 2025-04-25 | 3270.66(a) | Locked or inaccessible; 2025-04-25 | 3270.66(e) | Arts and crafts non-toxic; 2025-04-25 | 3270.71 | Heat Source; 2025-04-25 | 3270.82(h) | Handwashing signs; 2025-04-25 | 3270.102(a) | Clean and good repair; 2025-04-25 | 3270.104(a) | Clean, good repair, proper size; 2025-04-25 | 3270.107 | Refrigerator; 2025-04-25 | 3270.111(b) | Posted in group space; 2025-04-25 | 3270.123(a)(3) | Services proceeded; 2025-04-25 | 3270.124(b)(3) | Parent home/work address, phone; 2025-04-25 | 3270.124(b)(7) | Name/address/phone release person; 2025-04-25 | 3270.124(e) | Written emergency plan posted; 2025-04-25 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2025-04-25 | 3270.133(3) | Name on bottle; 2025-04-25 | 3270.133(5) | Original label; 2025-04-25 | 3270.133(6) | Written consent; 2025-04-25 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-04-25 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2025-04-25 | 3270.192(5) | Two written references; 2025-04-25 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2025-04-25 | 3270.131(a) | Health information

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Nov 15, 2024 1 Finding ● 1 Important

● **Health and Safety Training; 2024-11-15**

3270.31(f)

3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2024-11-15 | 3270.106(f) | 2 feet apart; 2024-11-15 | 3270.94(a)(9) | Written record; 2024-11-15 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Apr 17, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-04-17**

3270.14/3270.21

3270.27(e) | Letter to parents; 2024-04-17 | 3270.31(e)(4)(i) | Age and Training; 2024-04-17 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-04-17 | 3270.34(a)(6) | Staff evaluations; 2024-04-17 | 3270.51 | Similar Age Level; 2024-04-17 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-04-17 | 3270.66(a) | Locked or inaccessible; 2024-04-17 | 3270.66(c) | Toxic use- no contamination; 2024-04-17 | 3270.71 | Heat Source; 2024-04-17 | 3270.75(c) | Has all items; 2024-04-17 | 3270.76 | Building Surfaces; 2024-04-17 | 3270.81 | Glass; 2024-04-17 | 3270.82(h) | Handwashing signs; 2024-04-17 | 3270.82(i) | Lidded waste receptacles; 2024-04-17 | 3270.91(a) | Stairs, exits, etc. unobstructed; 2024-04-17 | 3270.102(a) | Clean and good repair; 2024-04-17 | 3270.103 | Small Toys and Objects; 2024-04-17 | 3270.106(a) | Clean, age appropriate; 2024-04-17 | 3270.107 | Refrigerator; 2024-04-17 | 3270.113(a) | Supervised at all times; 2024-04-17 | 3270.113(a)(1) | Staff assigned to specific children; 2024-04-17 | 3270.123(b)/3270.182(8) | Parent receives original/Copy of initial and subsequent agre; 2024-04-17 | 3270.124(a) | Each child emergency contact person; 2024-04-17 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2024-04-17 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-04-17 | 3270.131(c)/3270.182(1) | Completed or signed by physician, PA, or CRNP/Initial and su; 2024-04-17 | 3270.134(a) | Child's hands washed; 2024-04-17 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2024-04-17 | 3270.151(c)(2)/3270.192(3) | Mantoux TB/Health assessment, TB test; 2024-04-17 | 3270.183(a) | Locked cabinet; 2024-04-17 | 3270.31(f)(10) | Health and Safety Training - Pediatric First Aid and CPR; 2024-04-17 | 3270.94(a)(1) | Every 60 days; 2024-04-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Mar 5, 2024 1 Finding ● 1 Important

● **Immunization Record; 2024-03-05**

3270.131(d)(5)

3270.131(e)(3) | Dismissal policy

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.