

<NA>

2859 FREEPORT RD
NATRONA HEIGHTS, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Sep 9, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Age and Training; 2025-09-09 (1), Pertinent Laws & Regulations/General Health and Safety; 2024-09-10 (1), and Comply with CPSL/CPSL Information; 2023-09-26 (1). None of the 3 findings were critical.

Inspection Visits

Sep 9, 2025 1 Finding ● 1 Important

● **Age and Training; 2025-09-09**

3270.31(e)(4)(i)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-09-09 | 3270.33(a) | Each staff person meets quals; 2025-09-09 | 3270.124(b)(3) | Parent home/work address, phone; 2025-09-09 | 3270.124(b)(7) | Name/address/phone release person

Sep 10, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-09-10**

3270.14/3270.21

3270.21 | General Health and Safety; 2024-09-10 | 3270.27(a)(3)/3270.27(a)(4) | Contact when arises/Contact when ended; 2024-09-10 | 3270.27(e) | Letter to parents; 2024-09-10 | 3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2024-09-10 | 3270.69(b) | 110° F or less; 2024-09-10 | 3270.103 | Small Toys and Objects; 2024-09-10 | 3270.123(a)(3) | Services proceeded; 2024-09-10 | 3270.124(b)(3) | Parent home/work address, phone; 2024-09-10 | 3270.124(b)(5) | Information re: special needs; 2024-09-10 | 3270.27(a)(5) | Emergency plan; 2024-09-10 | 3270.27(f) | Emergency plan

Sep 26, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL/CPSL Information; 2023-09-26**

3270.32(a)/3270.192(4)

3270.124(b)(5) | Information re: special needs; 2023-09-26 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-09-26 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.