

<NA>

5919 PENN AVE
PITTSBURGH, PA

5 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Mar 18, 2026

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Training Regarding Plan; 2026-03-18 (2), Staff Assigned to Specific Children (2), and Toxic Plants Not Permitted; 2025-09-24 (1). None of the 5 findings were critical.

Inspection Visits

Mar 18, 2026 1 Finding ● 1 Important

● **Training Regarding Plan; 2026-03-18**

3270.27(c)

3270.31(e)(4)(i) | Age and Training; 2026-03-18 | 3270.113(a)(1) | Staff assigned to specific children; 2026-03-18 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Sep 24, 2025 1 Finding ● 1 Important

● **Toxic Plants Not Permitted; 2025-09-24**

3270.66(d)

3270.76 | Building Surfaces; 2025-09-24 | 3270.77(a) | No peeling paint or plaster; 2025-09-24 | 3270.82(g) | Clean and good repair; 2025-09-24 | 3270.102(a) | Clean and good repair; 2025-09-24 | 3270.131(b)(2)/3270.131(e)(3) | Toddler/preschool: updated health report every 12 months/Dis; 2025-09-24 | 3270.135(a)(3) | Disposable diapers; 2025-09-24 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2025-09-24 | 3270.27(f) | Emergency plan

Sep 9, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Training Regarding Plan; 2024-09-09**

3270.27(c)

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-09-09 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2024-09-09 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-09-09 | 3270.66(b) | Original container; 2024-09-09 | 3270.76 | Building Surfaces; 2024-09-09 | 3270.102(a) | Clean and good repair; 2024-09-09 | 3270.107 | Refrigerator; 2024-09-09 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2024-09-09 | 3270.131(b)(2)/3270.181(c) | Toddler/preschool: updated health report every 12 months/Eme; 2024-09-09 | 3270.151(c)(1)/3270.192(3) | Physical examination/Health assessment, TB test; 2024-09-09 | 3270.192(5) | Two written references; 2024-09-09 | 3270.95(a) | Devices must be compliant; 2024-09-09 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Jan 29, 2024 1 Finding ● 1 Important

● **Staff Assigned to Specific Children**

3270.113(a)(1)

Nov 30, 2023 1 Finding ● 1 Important

● **No Ridicule or Threaten Harm; 2023-11-30**

3270.113(c)

3270.113(d) | No harsh language

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.