

<NA>

200 WHITFORD HILLS RD
DOWNINGTOWN, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Oct 23, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Age and Training/Fire Safety - 1 Yr.; 2025-10-23 (1), Letter to Parents; 2024-10-24 (1), and Pertinent Laws & Regulations/General Health and Safety; 2023-10-23 (1). None of the 3 findings were critical.

Inspection Visits

Oct 23, 2025 1 Finding ● 1 Important

● **Age and Training/Fire Safety - 1 Yr.; 2025-10-23**

3270.31(e)(4)(i)/3270.31(e)(4)(ii)

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-10-23 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-10-23 | 3270.66(a) | Locked or inaccessible; 2025-10-23 | 3270.77(a)/3270.102(a) | No peeling paint or plaster/Clean and good repair; 2025-10-23 | 3270.102(c) | Outdoor equip.- protective surfacing; 2025-10-23 | 3270.103 | Small Toys and Objects; 2025-10-23 | 3270.104(a) | Clean, good repair, proper size; 2025-10-23 | 3270.106(f) | 2 feet apart; 2025-10-23 | 3270.124(b)(2)/3270.124(b)(6) | Physician name, address, phone/Insurance coverage informatio; 2025-10-23 | 3270.124(b)(7) | Name/address/phone release person; 2025-10-23 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-10-23 | 3270.151(a)/3270.151(c)(2) | 12 months prior to service and every 24 months thereafter/Ma; 2025-10-23 | 3270.182(3)/3270.182(5) | Consent for emergency medical care required prior to admissi; 2025-10-23 | 3270.182(8) | Copy of initial and subsequent agreements. Parent receives o; 2025-10-23 | 3270.192(2)(ii) | Exp, educ., training prior to facility; 2025-10-23 | 3270.27(a)(6) | Emergency plan; 2025-10-23 | 3270.131(a) | Health information

Oct 24, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Letter to Parents; 2024-10-24**

3270.27(e)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-10-24 | 3270.31(f) | Health and Safety Training; 2024-10-24 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-10-24 | 3270.66(a)/3270.66(d) | Locked or inaccessible/Toxic plants not permitted; 2024-10-24 | 3270.67(d)/3270.82(i) | Contaminated trash in closed plastic-lined receptacle/Lidded; 2024-10-24 | 3270.74 | Emergency Numbers Posted; 2024-10-24 | 3270.76/3270.77(a) | Building Surfaces/No peeling paint or plaster; 2024-10-24 | 3270.102(a)/3270.104(a) | Clean and good repair/Clean, good repair, proper size; 2024-10-24 | 3270.107 | Refrigerator; 2024-10-24 | 3270.123(a)(4)/3270.123(a)(5) | Arrival/departure times/Designated release persons; 2024-10-24 | 3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates; 2024-10-24 | 3270.124(b)(3)/3270.124(b)(7) | Parent home/work address, phone/Name/address/phone release p; 2024-10-24 | 3270.124(b)(6) | Insurance coverage information; 2024-10-24 | 3270.131(d)(7) | Free from contagious/communicable disease; 2024-10-24 | 3270.175(c) | Manufacturer's instructions used; 2024-10-24 | 3270.182(3)/3270.182(5) | Consent for emergency medical care required prior to admission; 2024-10-24 | 3270.94(a)(4) | Hypothetical locations; 2024-10-24 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff person

Oct 23, 2023 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2023-10-23**

3270.14/3270.21

3270.31(f) | Health and Safety Training; 2023-10-23 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2023-10-23 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2023-10-23 | 3270.74 | Emergency Numbers Posted; 2023-10-23 | 3270.75(d) | On excursions; 2023-10-23 | 3270.76 | Building Surfaces; 2023-10-23 | 3270.102(c) | Outdoor equip.- protective surfacing; 2023-10-23 | 3270.106(f) | 2 feet apart; 2023-10-23 | 3270.124(b)(6) | Insurance coverage information; 2023-10-23 | 3270.124(e) | Written emergency plan posted; 2023-10-23 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2023-10-23 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-10-23 | 3270.166(4) | Bottles labeled; 2023-10-23 | 3270.182(7) | Reports of accidents, injuries and illnesses. Original report; 2023-10-23 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff person; 2023-10-23 | 3270.25(a) | Availability of certificate of compliance and applicable reg; 2023-10-23 | 3270.171(a) | Pick-up and drop-off points

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.