

<NA>

100 N BRADDOCK AVE  
PITTSBURGH, PA

### 5 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Dec 17, 2025

● 5 Important

Across 5 inspections since 2025, the issues cited most often were General Health and Safety; 2025-12-17 (1), Staff Assigned to Specific Children (1), and Training Regarding Plan; 2025-09-23 (1). None of the 5 findings were critical.

### Inspection Visits

**Dec 17, 2025** 1 Finding ● 1 Important

● **General Health and Safety; 2025-12-17**

3270.21

3270.27(c) | Training regarding plan; 2025-12-17 | 3270.27(e) | Letter to parents; 2025-12-17 | 3270.31(e)(4)(i) | Age and Training; 2025-12-17 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-12-17 | 3270.31(f) | Health and Safety Training; 2025-12-17 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-12-17 | 3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2025-12-17 | 3270.34(a)(6) | Staff evaluations; 2025-12-17 | 3270.66(a) | Locked or inaccessible; 2025-12-17 | 3270.69(b) | 110° F or less; 2025-12-17 | 3270.71 | Heat Source; 2025-12-17 | 3270.75(b) | Inaccessible to children; 2025-12-17 | 3270.76 | Building Surfaces; 2025-12-17 | 3270.77(a) | No peeling paint or plaster; 2025-12-17 | 3270.81 | Glass; 2025-12-17 | 3270.82(i) | Lidded waste receptacles; 2025-12-17 | 3270.102(a) | Clean and good repair; 2025-12-17 | 3270.106(f) | 2 feet apart; 2025-12-17 | 3270.123(a)(3) | Services proceeded; 2025-12-17 | 3270.124(b)(7) | Name/address/phone release person; 2025-12-17 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2025-12-17 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-12-17 | 3270.27(a)(6) | Emergency plan; 2025-12-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2025-12-17 | 3270.171(a) | Pick-up and drop-off points

**Oct 28, 2025** 1 Finding ● 1 Important

● **Staff Assigned to Specific Children**

3270.113(a)(1)

**Sep 23, 2025** 1 Finding ● 1 Important

#### About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Training Regarding Plan; 2025-09-23**

3270.27(c)

3270.31(f) | Health and Safety Training; 2025-09-23 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-09-23 | 3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2025-09-23 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2025-09-23 | 3270.106(f) | 2 feet apart; 2025-09-23 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-09-23 | 3270.192(4) | CPSL information; 2025-09-23 | 3270.192(5) | Two written references; 2025-09-23 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

**Jul 15, 2025** 1 Finding ● 1 Important

● **Not Withheld as Discipline**

3270.162(c)

**May 6, 2025** 1 Finding ● 1 Important

● **Similar Age Level**

3270.51

**About this report**

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.