

SKIES THE LIMIT ACADEMY

85 Custer Ave
FORT MEADE, SD

7 Inspection Visits Since 2025 - 21 Findings

Most recent inspection: Apr 14, 2026

● 21 Important

Across 7 inspections since 2025, the issues cited most often were Small refrigerator in infant room is plugged into a power strip. (2), · Toy and table-top spray bottle in preschool building was found with very strong solution of greater than 200ppm Chlorine. · Infant bottles and children's sippy cups are hand washed daily without sanitizing step and only sanitized in dishwasher on Tuesdays and Thursdays. (1), and Water temperature at staff bathroom/infant diaper handsink found at one hundred twenty-nine degrees Fahrenheit And the water temperature in the preschool children's bathroom was found at one hundred thirty-one degrees Fahrenheit. (1). None of the 21 findings were critical.

Inspection Visits

Apr 14, 2026 3 Findings ● 3 Important

● ·

Toy and table-top spray bottle in preschool building was found with very strong solution of greater than 200ppm Chlorine. ·

Infant bottles and children's sippy cups are hand washed daily without sanitizing step and only sanitized in dishwasher on Tuesdays and Thursdays.

67:42:17:25 - 67:42:17:25 All equipment, utensils, kitchenware, dining tables, and food contact surfaces of equipment must be washed, rinsed, and sanitized after each meal. T...

● **Water temperature at staff bathroom/infant diaper handsink found at one hundred twenty-nine degrees Fahrenheit**
And the water temperature in the preschool children's bathroom was found at one hundred thirty-one degrees Fahrenheit.

67:42:17:33 - 67:42:17:33 A provider shall meet the following requirements regarding bathrooms: (1) Bathroom facilities must be easily accessible by children and providers...

● **Small refrigerator in infant room is plugged into a power strip.**

67:42:17:37 - 67:42:17:37 Center and school-age programs operating outside of school buildings shall follow applicable construction and fire safety requirements, as outlined...

Mar 13, 2026 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the South Dakota Department of Social Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the South Dakota Department of Social Services, Child Care Services.

● **Cited rule**

61:15:01:01 - Iselectricalsystembeingusedproperly?61:15:01:01 NOTE:Checkforoverloadsorfrayed extensioncords.

● **Cited rule**

67:42:17:25 - Aretoyswhichhavebeenplacedinachild'smouthorhavecontactwithotherbodilyfluids cleanedandsanitizeddaily-inadishwasherorbyusingaproductapprovedby...

● **Cited rule**

67:42:17:25 - Isallequipment,utensils,kitchenware,diningtablesandfoodcontactsurfacesusedforthe careofchil-dren,washed,rinsed,andsanitizedaftereachmeal?67:4...

● **Cited rule**

67:42:17:31 - Isfood,includingbreastmilkandformula,properlystored,keptatthepropertemperature, andprotectedfrompoten-tialcontamination?67:42:17:31 NOTE:Refr...

● **Cited rule**

67:42:17:33 - Isthehotwatertemperatureathandwashingsinksusedbychildrenmaintainedat120 degreesForlower?67:42:17:33

Mar 10, 2026 1 Finding ● 1 Important

- **DuringacomplaintinvestigationconductedbytheOfficeofLicensing&Accreditation,itwasdeterminedthataprovider liftedaninfantwhilethechildwassecuredinabouncyseat.Theseatsslippedfromtheprovider'shand,resultinginthe Infanthittingtheirheadonthefloor.**

67:42:17:10 - 67:42:17:10 Allprovidersshallbeatleasteighteenyearsofageanddemonstrateandmaintaintheabilitytoprovide-carethat attendstothechild'sphysicalgrow...

Jan 26, 2026 2 Findings ● 2 Important

- **Programisusingducttapetoprotectsharpedgesonheatregisterininfantbuilding. Thereisagap/sharped-geonheatregisterinpreschoolroom. Theexteriorstairsleadingtothepreschoolroomaredamaged.**

67:42:17:32 - 67:42:17:32 Allwalls,ceilings,floors,andequipmentmustbeeasilycleanable,keptclean,andingoodrepair. Heatin-gandcooling systemsmustmaintainatemp...

- **Programhaspaperpostedonemergencyexitdoorsintoddler/infantbuilding.Preschoolroomhasdan-glingdecoration Attransitionbetweenentryandclassroomarea.**

67:42:17:37 - 67:42:17:37 Centerandschool-ageprogramsoperatingoutsideofaschoolbuildingshallfollowapplicableconstruc-tionandfire safetyrequirements,asoutlin...

Jun 5, 2025 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the South Dakota Department of Social Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the South Dakota Department of Social Services, Child Care Services.

● **One employee record is missing assigned Child Abuse and Neglect Acknowledgement statement.**

67:42:17:15 - 67:42:17:15 A child care provider shall maintain a record for each employee that includes: (1) The employee's name and date of birth; (2) The dates on which the em...

● **One employee completed the Ongoing Health & Safety training Level III instead of Orientation to Child-Care Level I training within the 90 days.**

67:42:17:17 - 2 67:42:17:17 All providers shall, within ninety days after the date of employment, complete and obtain documentation of orientation training in the following a...

● **One child's record was missing an emergency contact other than parents.**

67:42:17:42 - 67:42:17:42 A provider shall maintain a record for each child that includes: (1) The child's name and date of birth; (2) The parent or guardian's name and telepho...

Jun 4, 2025 4 Findings ● 4 Important

● **Cited rule**

67:42:17:15 - Are employee records retained for six months after employment has ended? 67:42:17:15 Yes Have providers and assistants completed orientation...

● **Cited rule**

67:42:17:15 - Do employee records contain all required information? 67:42:17:15

● **Cited rule**

67:42:17:42 - Do children's records include name and DOB of child, parent/s names and contact information, emergency contact information, permission for e...

● **Cited rule**

67:42:17:45 - If transportation is provided, does the program have proof of liability insurance for the vehicle(s) used to transport children? 67:42:17:45...

About this report

Childery generates this report from public inspection records published by the South Dakota Department of Social Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the South Dakota Department of Social Services, Child Care Services.

May 29, 2025 3 Findings ● 3 Important

● **Cited rule**

61:15:05:05 - Are exits and exit corridors maintained in a safe manner? 61:15:05:05; 61:15:06:05 NOTE: Exits can't pass through storeroom, bathroom, kitch...

● **Cited rule**

67:42:17:31 - Is food, including breastmilk and formula, properly stored, kept at the proper temperature, and protected from potential contamination? 67:4...

● **Cited rule**

67:42:17:32 - Are all walls, ceilings, floors, and equipment easily cleanable, kept clean and in good repair? 67:42:17:32

About this report

Childery generates this report from public inspection records published by the South Dakota Department of Social Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the South Dakota Department of Social Services, Child Care Services.