

El Castillo Learning Center

101 FOJT ST
SOMERVILLE, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: May 6, 2026



● 4 Critical ● 1 Important

Across 2 inspections since 2025, the issues cited most often were Infant Handwashing - Raised to Sink (1), AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation (1), and Cots, Beds, Mats Labeled With Child's Name (1). Of 5 total findings, 4 were critical.

Inspection Visits

May 6, 2026 4 Findings ● 3 Critical ● 1 Important

● **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**

745.641

● **Infant Handwashing - Raised to Sink**

746.3421(b)

● **Measurement of Use Zone for Slides - in Front of Access and on Sides**

746.4805(a)

● **Cots, Beds, Mats Labeled With Child's Name**

746.4503(b)

May 27, 2025 1 Finding ● 1 Critical

● **Training Requirements for Employees, Caregivers, and Directors - Pre-Service Training**

746.1301(a)(2)(A)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.