

## Adventure Kids Playcare

2950 CRAIG DR STE 100  
MCKINNEY, TX

### 3 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 28, 2026

● 5 Critical

Across 3 inspections since 2026, the issues cited most often were Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly (1), Smoke-Detection System Tested (1), and Fire Drill Monthly - Exit in 3 Minutes (1). Of 5 total findings, 5 were critical.

### Inspection Visits

**May 28, 2026** 2 Findings ● 2 Critical

● **Smoke-Detection System Tested**  
746.5315

● **Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly**  
746.5537(a)(2)

**Apr 23, 2026** 1 Finding ● 1 Critical

● **Fire Drill Monthly - Exit in 3 Minutes**  
746.5205(1)

**Apr 16, 2026** 2 Findings ● 2 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**  
746.1205(a)(4)

● **Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children**  
746.3407(12)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.