

Jack & Jill Day Care

1201 AIRWAY BLVD STE A1
EL PASO, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 30, 2026



● 2 Critical ● 3 Important

Across 4 inspections since 2024, the issues cited most often were Children's Records - Health Statement (3), Child/ Caregiver Ratio - 13 or More Children (1), and Requirement of Gas Leak Inspection (1). Of 5 total findings, 2 were critical.

Inspection Visits

Jan 30, 2026 1 Finding ● 1 Important

● **Children's Records - Health Statement**
746.603(a)(3)

Jan 6, 2026 1 Finding ● 1 Critical

● **Child/ Caregiver Ratio - 13 or More Children**
746.1601

Feb 24, 2025 2 Findings ● 1 Critical ● 1 Important

● **Requirement of Gas Leak Inspection**
746.5401

● **Children's Records - Immunizations**
746.603(a)(4)

Apr 10, 2024 1 Finding ● 1 Important

● **Children's Records - Immunizations**
746.603(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.