

Reilly EAC YMCA

405 DENSON DR
AUSTIN, TX

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Oct 24, 2025



● 3 Critical ● 2 Important

Across 3 inspections since 2025, the issues cited most often were Toilets - 13 or More Children Younger Than 5 Years (1), Notification of Reduction of Toilets/Sinks (1), and Administering Medication - Original Container with Child's Name, Date (1). Of 5 total findings, 3 were critical.

Inspection Visits

Oct 24, 2025 1 Finding ● 1 Important

- **Toilets - 13 or More Children Younger Than 5 Years**
744.3005(b)

Sep 19, 2025 1 Finding ● 1 Important

- **Notification of Reduction of Toilets/Sinks**
744.301(3)

May 23, 2025 3 Findings ● 3 Critical

- **Administering Medication - Original Container with Child's Name, Date**
744.2655(b)(1)
- **Report Change in Director**
744.303(4)
- **Required Admission Information-Child's Allergies and Completed Food Allergy Plan**
744.605(15)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.