


Shining Stars

5201 BROADWAY ST STE A

GALVESTON, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Oct 23, 2025



● 4 Critical ● 1 Important

Across 4 inspections since 2024, the issues cited most often were Safety - Televisions Anchored to Prevent Tip Over (1), Measurement of Use Zone for Slides - Six Feet High or Less (1), and Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (1). Of 5 total findings, 4 were critical.

Inspection Visits

Oct 23, 2025 1 Finding ● 1 Critical

- Safety - Televisions Anchored to Prevent Tip Over  
746.3701(10)

Feb 3, 2025 1 Finding ● 1 Critical

- Measurement of Use Zone for Slides - Six Feet High or Less  
746.4805(b)

Dec 27, 2024 2 Findings ● 1 Critical ● 1 Important

- Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less  
746.4907(a)(1)
- Children's Records - Admission Information  
746.603(a)(2)

Dec 11, 2024 1 Finding ● 1 Critical

- Prohibited Equipment for Infants - Bean Bags, Waterbeds, Foam Pads As Sleeping Equipment  
746.2415(a)(5)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.