

Primrose School of Lantana

7020 JUSTIN RD
LANTANA, TX

4 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Jun 28, 2024



● 3 Critical ● 1 Important

Across 4 inspections since 2023, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (1), Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking. (1), and Medication Authorization - Signed and Dated (1). Of 4 total findings, 3 were critical.

Inspection Visits

Jun 28, 2024 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**
746.4907(a)(1)

Jun 17, 2024 1 Finding ● 1 Critical

- **Each Caregiver and the Director Must Have Current Training in Pediatric First Aid with Rescue Breathing and Choking.**
746.1315(a)

Jun 5, 2024 1 Finding ● 1 Critical

- **Medication Authorization - Signed and Dated**
746.3803(a)(1)

Jul 17, 2023 1 Finding ● 1 Important

- **Children's Records - Immunizations**
746.603(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.