

Round Rock Montessori School

1818 SAM BASS RD
ROUND ROCK, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Nov 28, 2025



● 4 Critical ● 1 Important

Across 4 inspections since 2025, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (2), Maintenance of Building, Grounds and Equipment (1), and Safety - Televisions Anchored to Prevent Tip Over (1). Of 5 total findings, 4 were critical.

Inspection Visits

Nov 28, 2025 2 Findings ● 2 Critical

● Maintenance of Building, Grounds and Equipment
746.3407

● Safety - Televisions Anchored to Prevent Tip Over
746.3701(10)

Aug 6, 2025 1 Finding ● 1 Critical

● Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less
746.4907(a)(1)

Jul 20, 2025 1 Finding ● 1 Critical

● Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less
746.4907(a)(1)

Jul 18, 2025 1 Finding ● 1 Important

● Children's Records - Immunizations
746.603(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.