

## My Kids Learning Center

1605 COMMERCE DR  
LAREDO, TX

### 2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 1, 2026



● 4 Critical ● 1 Important

Across 2 inspections since 2025, the issues cited most often were Safety Requirements for Cribs - Snug Fitting, Firm, Flat Mattress Designed for Use in Crib (1), Immunization Records, Exceptions, and Exemptions Current (1), and Fire Extinguishers Serviced (1). Of 5 total findings, 4 were critical.

### Inspection Visits

**Apr 1, 2026** 4 Findings ● 4 Critical

● **Safety Requirements for Cribs - Snug Fitting, Firm, Flat Mattress Designed for Use in Crib**

746.2409(a)(1)

● **Fire Extinguishers Serviced**

746.5307(b)

● **Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly**

746.5537(a)(2)

● **Immunization Records, Exceptions, and Exemptions Current**

746.613(b)

**Apr 25, 2025** 1 Finding ● 1 Important

● **Children's Records - Admission Information**

746.603(a)(2)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.