

CFLC 2 LLC

2201 N 18TH ST
WACO, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 6, 2026



● 4 Critical ● 1 Important

Across 4 inspections since 2025, the issues cited most often were AP Background Check Determination - If Ineligible Then You Must Immediately Remove Subject From Operation and Confirm to CBCU Receipt of Notice Letter (1), Child/ Caregiver Ratio - 13 or More Children (1), and Installation and Maintenance of Loose-fill Surfacing - Nine Inches if Equipment Greater Than 5 Ft. (1). Of 5 total findings, 4 were critical.

Inspection Visits

Jan 6, 2026 1 Finding ● 1 Critical

- **AP Background Check Determination - If Ineligible Then You Must Immediately Remove Subject From Operation and Confirm to CBCU Receipt of Notice Letter**
745.635(2)

Jul 10, 2025 1 Finding ● 1 Critical

- **Child/ Caregiver Ratio - 13 or More Children**
746.1601

Jun 13, 2025 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Nine Inches if Equipment Greater Than 5 Ft.**
746.4907(a)(2)

Jun 6, 2025 2 Findings ● 1 Critical ● 1 Important

- **AP Background Check Results - Must Receive Notification Prior to Allowing Subject to Be Present at Your Operation**
745.641

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

● **Notification of Change in Space**

746.301(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.