

Marlboro Heights Head Start

918 REV R A ABERCROMBIE DR
KILLEEN, TX

3 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: Mar 30, 2026

● 3 Critical

Across 3 inspections since 2025, the issues cited most often were Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity (1), Training Requirements for Employees, Caregivers, and Directors - Pediatric First Aid with Rescue Breathing (1), and Install CO Detection System-Electric or Battery Operated-on Every Level of Each Building (1). Of 3 total findings, 3 were critical.

Inspection Visits

Mar 30, 2026 1 Finding ● 1 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

746.1205(a)(4)

Mar 14, 2025 1 Finding ● 1 Critical

● **Training Requirements for Employees, Caregivers, and Directors - Pediatric First Aid with Rescue Breathing**

746.1301(a)(3)(A)

Mar 6, 2025 1 Finding ● 1 Critical

● **Install CO Detection System-Electric or Battery Operated-on Every Level of Each Building**

746.5535(a)(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.