

Trinity Early Learning Center

1200 W GREEN OAKS BLVD
ARLINGTON, TX

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Nov 12, 2025



● 3 Critical ● 1 Important

Across 4 inspections since 2024, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (1), Supervised Naptime Daily (1), and Children's Records - Immunizations (1). Of 4 total findings, 3 were critical.

Inspection Visits

Nov 12, 2025 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**
746.4907(a)(1)

Jan 9, 2025 1 Finding ● 1 Critical

- **Supervised Naptime Daily**
746.2901

Mar 13, 2024 1 Finding ● 1 Important

- **Children's Records - Immunizations**
746.603(a)(4)

Feb 13, 2024 1 Finding ● 1 Critical

- **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**
746.1205(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.