

# Cy-Fair Montessori School

11411 WINDFERN RD STE 290  
HOUSTON, TX

## 4 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: May 15, 2025

● 5 Critical

Across 4 inspections since 2024, the issues cited most often were Maintenance of Building, Grounds and Equipment (2), Documentation of Fire Inspection (1), and Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing (1). Of 5 total findings, 5 were critical.

## Inspection Visits

**May 15, 2025** 1 Finding ● 1 Critical

● **Documentation of Fire Inspection**  
746.5103

**May 7, 2024** 1 Finding ● 1 Critical

● **Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing**  
746.4901(a)

**Apr 29, 2024** 1 Finding ● 1 Critical

● **Required Admission Information - Emergency Medical Authorization**  
746.605(12)

**Apr 23, 2024** 2 Findings ● 2 Critical

● **Maintenance of Building, Grounds and Equipment**  
746.3407

● **Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children**  
746.3407(12)

### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.