

Life Academy

7850 DAVIS BLVD
NORTH RICHLAND HILLS, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jul 25, 2025

● 5 Critical

Across 4 inspections since 2025, the issues cited most often were Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (2), Food Allergy Emergency Plan Signed by Parents and Health Care Professional (1), and Gas Leak Inspection - Natural Gas (1). Of 5 total findings, 5 were critical.

Inspection Visits

Jul 25, 2025 1 Finding ● 1 Critical

● **Food Allergy Emergency Plan Signed by Parents and Health Care Professional**
746.3819

May 23, 2025 1 Finding ● 1 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

Apr 23, 2025 2 Findings ● 2 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

● **Gas Leak Inspection - Natural Gas**
746.5403(a)

Mar 21, 2025 1 Finding ● 1 Critical

● **Maximum Height - Under Age 5**
746.4607(b)(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.