

## Red Lick Christian Preschool

3206 N FM 2148  
TEXARKANA, TX

### 3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 20, 2026

● 5 Critical

Across 3 inspections since 2025, the issues cited most often were Safety - Televisions Anchored to Prevent Tip Over (2), Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing (1), and AP Cribs - Only Snug Fitting Sheet and Crib Mattress Cover Allowed if Infant Younger Than 12 Months of Age (1). Of 5 total findings, 5 were critical.

### Inspection Visits

**Jan 20, 2026** 1 Finding ● 1 Critical

● **Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing**  
746.4901(a)

**Jan 6, 2026** 3 Findings ● 3 Critical

● **AP Cribs - Only Snug Fitting Sheet and Crib Mattress Cover Allowed if Infant Younger Than 12 Months of Age**  
746.2415(b)

● **Maintenance of Building, Grounds and Equipment**  
746.3407

● **Safety - Televisions Anchored to Prevent Tip Over**  
746.3701(10)

**May 6, 2025** 1 Finding ● 1 Critical

● **Safety - Areas Free From Hazards**  
746.3701

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.