

Kandyland Kampus Preschool

115 TUPELO DR
LONGVIEW, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Sep 19, 2025



● 3 Critical ● 2 Important

Across 3 inspections since 2024, the issues cited most often were Screen Time Activities - Not Used During Eating or Rest Times (2), Floors, Ceilings and Walls in Good Repair and Clean (2), and Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing (1). Of 5 total findings, 3 were critical.

Inspection Visits

Sep 19, 2025 3 Findings ● 1 Critical ● 2 Important

● **Floors, Ceilings and Walls in Good Repair and Clean**
746.3407(9)

● **Screen Time Activities - Related to Planned Activities**
746.2207(c)(1)

● **Screen Time Activities - Not Used During Eating or Rest Times**
746.2207(c)(4)

Aug 21, 2025 1 Finding ● 1 Critical

● **Floors, Ceilings and Walls in Good Repair and Clean**
746.3407(9)

Sep 27, 2024 1 Finding ● 1 Critical

● **Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing**
746.4901(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.