

Kinectory Learning Center

2700 W WHITESTONE BLVD
CEDAR PARK, TX

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Oct 1, 2025



● 3 Critical ● 1 Important

Across 4 inspections since 2024, the issues cited most often were Annual Sanitation Inspection (1), Medication No Longer Used (1), and Infant Care Area Furnishings and Equipment -Use of Safety Straps (1). Of 4 total findings, 3 were critical.

Inspection Visits

Oct 1, 2025 1 Finding ● 1 Critical

- **Annual Sanitation Inspection**
746.3401(a)

Aug 12, 2025 1 Finding ● 1 Important

- **Medication No Longer Used**
746.3809

Jul 29, 2025 1 Finding ● 1 Critical

- **Infant Care Area Furnishings and Equipment -Use of Safety Straps**
746.2407

Aug 16, 2024 1 Finding ● 1 Critical

- **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.