

Kimberly Williams

107 GREENVIEW DR
STEPHENVILLE, TX

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Aug 5, 2025



● 4 Critical ● 1 Important

Across 5 inspections since 2024, the issues cited most often were Safety - Areas Free From Hazards (1), Sign-in and Sign-out Logs Maintained (1), and Required Immunizations Records, Exceptions, and Exemptions Current (1). Of 5 total findings, 4 were critical.

Inspection Visits

Aug 5, 2025 1 Finding ● 1 Critical

- **Safety - Areas Free From Hazards**
747.3501

Jul 29, 2025 1 Finding ● 1 Critical

- **Sign-in and Sign-out Logs Maintained**
747.635(a)

Feb 28, 2025 1 Finding ● 1 Important

- **Required Immunizations Records, Exceptions, and Exemptions Current**
747.613(b)

Jan 23, 2025 1 Finding ● 1 Critical

- **Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility**
747.5331

Oct 10, 2024 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

747.1503(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.