

Lan Huong Le

11822 PLUMBROOK DR
HOUSTON, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 2, 2026



● 2 Critical ● 3 Important

Across 4 inspections since 2025, the issues cited most often were First Aid Kit Incomplete -Thermometer, Preferably Non-glass (1), Liability Insurance Requirements - If No Insurance Then Must Provide Written Proof Annually by Anniversary Date of Issuance (1), and Records Maintained and Made Available - Safety Drills Documentation (1). Of 5 total findings, 2 were critical.

Inspection Visits

Feb 2, 2026 2 Findings ● 2 Important

● **Liability Insurance Requirements - If No Insurance Then Must Provide Written Proof Annually by Anniversary Date of Issuance**

747.211(b)

● **First Aid Kit Incomplete -Thermometer, Preferably Non-glass**

747.3803(a)(7)

Jan 30, 2026 1 Finding ● 1 Important

● **Records Maintained and Made Available - Safety Drills Documentation**

747.801(7)

Jan 28, 2026 1 Finding ● 1 Critical

● **Sign-in and Sign-out Logs Maintained**

747.635(a)

Mar 3, 2025 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Policies Comply with Rules**
747.207(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.