Childery
Inspection History Report

Generated Jun 6, 2026
License 512717 · TX

Allegro Childrens Center

4019 MONTANA AVE
EL PASO, TX

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Nov 19, 2025

- 5 Critical

Across 4 inspections since 2024, the issues cited most often were Required Equipment in Vehicles - Information About Facility (2), First Aid Kit - Available in Each Building, on Field Trips, During Transportation (1), and 746.5533 Carbon Monoxide Detection System Installed (1). Of 5 total findings, 5 were critical.

Inspection Visits

Nov 19, 2025 1 Finding · 1 Critical

- **First Aid Kit - Available in Each Building, on Field Trips, During Transportation**
  746.4001

Nov 12, 2025 1 Finding · 1 Critical

- **746.5533 Carbon Monoxide Detection System Installed**
  746.5533

Jun 27, 2025 1 Finding · 1 Critical

- **Personal Use of Electronic Devices, Such as Cell Phones, MP3 Players, Tablets, and Video Games**
  746.1203(3)(D)

Dec 20, 2024 2 Findings · 2 Critical

- **Required Equipment in Vehicles - Information About Facility**
  746.5617(a)(3)
- **Required Equipment in Vehicles - First-aid Kit**
  746.5617(a)(6)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.