

Brighter Futures Learning Center

1213 BORGFELD RD
SCHERTZ, TX

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Apr 30, 2026



● 4 Critical ● 1 Important

Across 5 inspections since 2023, the issues cited most often were Safety Requirements for Sprinkler Play - Equipment and Water Hoses Kept Out of Child's Reach (1), Mounting of Fire Extinguishers (1), and Written Feeding Instructions - Signed and Dated by Parent or Health-Care Professional (1). Of 5 total findings, 4 were critical.

Inspection Visits

Apr 30, 2026 1 Finding ● 1 Critical

- **Safety Requirements for Sprinkler Play - Equipment and Water Hoses Kept Out of Child's Reach**
746.5015(c)

Jul 24, 2025 1 Finding ● 1 Critical

- **Mounting of Fire Extinguishers**
746.5305

Feb 14, 2025 1 Finding ● 1 Important

- **Written Feeding Instructions - Signed and Dated by Parent or Health-Care Professional**
746.2421(a)

Nov 8, 2024 1 Finding ● 1 Critical

- **Policies Comply with Rules**
746.201(1)

Aug 18, 2023 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Annual Fire Inspection - Conducted by Fire Marshal**
746.5101(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.