

Mona Montessori Academy

1417 ISMAILI CENTER CIR
CARROLLTON, TX

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Aug 28, 2025

● 4 Critical

Across 3 inspections since 2023, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained (1), Immunization Exception or Exemption on File and Verified (1), and Required Equipment in Vehicles - Fire Extinguisher (1). Of 4 total findings, 4 were critical.

Inspection Visits

Aug 28, 2025 1 Finding ● 1 Critical

● **Installation and Maintenance of Loose-fill Surfacing - Proper Depth Maintained**
746.4907(d)

Aug 21, 2025 1 Finding ● 1 Critical

● **Immunization Exception or Exemption on File and Verified**
746.613(c)(1)

Oct 10, 2023 2 Findings ● 2 Critical

● **Required Equipment in Vehicles - Fire Extinguisher**
746.5617(a)(5)

● **Electronic Child Safety Alarm - Is Equipped in Each Vehicle**
746.5625(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.