

Haleigh Page

920 WASHBURN ST
TAYLOR, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 17, 2026



● 3 Critical ● 2 Important

Across 4 inspections since 2025, the issues cited most often were Fire Drill Monthly - Exit in 3 Minutes (1), Mounting of Fire Extinguishers (1), and Equipment Prohibited for Younger Than 5 Yrs - Fulcrum Seesaws (1). Of 5 total findings, 3 were critical.

Inspection Visits

Apr 17, 2026 2 Findings ● 2 Critical

● **Fire Drill Monthly - Exit in 3 Minutes**
747.5005(1)

● **Mounting of Fire Extinguishers**
747.5105

Apr 8, 2026 1 Finding ● 1 Critical

● **Equipment Prohibited for Younger Than 5 Yrs - Fulcrum Seesaws**
747.4405(a)(3)

Nov 3, 2025 1 Finding ● 1 Important

● **Children's Records - Enrollment Agreement**
747.603(a)(1)

Oct 23, 2025 1 Finding ● 1 Important

● **Maintain Menus**
747.3113(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.