

AlphaBEST @ Cox -Northwest

1100 LITSEY RD
ROANOKE, TX

3 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Mar 20, 2026

● 5 Critical

Across 3 inspections since 2026, the issues cited most often were Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR (2), Incident/Illness Report Form Shared with Parent (1), and Responsibilities of Employees and Caregivers - Demonstrate Competency, Good Judgment, Self-control (1). Of 5 total findings, 5 were critical.

Inspection Visits

Mar 20, 2026 1 Finding ● 1 Critical

● **Each Caregiver, Operation Director, Program Director, and Site Director Pediatric CPR**
744.1315(b)

Feb 25, 2026 2 Findings ● 2 Critical

● **CPR Training and Recertification Adhere to Guidelines**
744.1315(b)(1)

● **Incident/Illness Report Form Shared with Parent**
744.707

Feb 5, 2026 2 Findings ● 2 Critical

● **Responsibilities of Employees and Caregivers - Demonstrate Competency, Good Judgment, Self-control**
744.1201(1)

● **Responsibilities of Caregivers - Know Group Responsible For**
744.1205(a)(1)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.