

Community Child Development Center

1515 ENGBROCK
SEGUIN, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 9, 2026



● 4 Critical ● 1 Important

Across 4 inspections since 2025, the issues cited most often were Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly (1), Parental Notification of Less Serious Injuries (1), and Responsibilities of Caregivers - Know Number of Children Responsible For (1). Of 5 total findings, 4 were critical.

Inspection Visits

Jan 9, 2026 1 Finding ● 1 Critical

- **Electronic or Battery-Operated Carbon Monoxide Detector-Check All Detectors Monthly**
746.5537(a)(2)

Nov 13, 2025 1 Finding ● 1 Important

- **Parental Notification of Less Serious Injuries**
746.307(c)

Jul 24, 2025 1 Finding ● 1 Critical

- **Responsibilities of Caregivers - Know Number of Children Responsible For**
746.1205(a)(2)

Jan 17, 2025 2 Findings ● 2 Critical

- **Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children**
746.3407(12)
- **Required Admission Information - Emergency Contact**
746.605(6)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.