

Amber Anthony

3615 FIR FOREST DR
SPRING, TX

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Oct 21, 2025



● 4 Critical ● 1 Important

Across 2 inspections since 2025, the issues cited most often were Written Activity Plan - Outdoor Play Opportunities (1), Emergency Preparedness Plan - Evacuation, Relocation and Sheltering Procedures (1), and CO Detection System Type-Individual (UL) Listed Plug In, Hardwire, Battery (1). Of 5 total findings, 4 were critical.

Inspection Visits

Oct 21, 2025 4 Findings ● 3 Critical ● 1 Important

● **Policies Comply with Rules**

747.207(1)

● **Emergency Preparedness Plan - Evacuation, Relocation and Sheltering Procedures**

747.5003(1)

● **CO Detection System Type-Individual (UL) Listed Plug In, Hardwire, Battery**

747.5333(1)

● **Written Activity Plan - Outdoor Play Opportunities**

747.2104(a)(1)

Oct 14, 2025 1 Finding ● 1 Critical

● **Smoke-Detection System**

747.5111

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.