

AlphaBEST @ Schluter - Northwest

1220 MESA CREST DR
HASLET, TX

3 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 14, 2026

● 5 Critical

Across 3 inspections since 2026, the issues cited most often were Training Requirements for Employees - Pediatric CPR (3), Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity (1), and Report Situation Placing Children at Risk (1). Of 5 total findings, 5 were critical.

Inspection Visits

May 14, 2026 1 Finding ● 1 Critical

● **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

744.1205(a)(4)

Apr 15, 2026 1 Finding ● 1 Critical

● **Report Situation Placing Children at Risk**

744.305(a)(6)

Feb 20, 2026 3 Findings ● 3 Critical

● **Training Requirements for Employees - Orientation**

744.1301(a)(1)(A)

● **Training Requirements for Employees - Pediatric First Aid with Rescue Breathing**

744.1301(a)(3)(A)

● **Training Requirements for Employees - Pediatric CPR**

744.1301(a)(4)(A)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.