

# Growing Scholars Montessori School

8821 BRIDGE PARK DR  
HOUSTON, TX

## 4 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Aug 13, 2025

● 2 Critical ● 2 Important

Across 4 inspections since 2024, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Nine Inches if Equipment Greater Than 5 Ft. (1), Measurement of Use Zone for Stationary Equipment (1), and Administering Medication - Only to Child for Whom Intended (1). Of 4 total findings, 2 were critical.

## Inspection Visits

**Aug 13, 2025** 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Nine Inches if Equipment Greater Than 5 Ft.**  
746.4907(a)(2)

**Aug 6, 2025** 1 Finding ● 1 Important

- **Measurement of Use Zone for Stationary Equipment**  
746.4803

**Jul 30, 2025** 1 Finding ● 1 Critical

- **Administering Medication - Only to Child for Whom Intended**  
746.3805(b)(2)

**Sep 6, 2024** 1 Finding ● 1 Important

- **Documented Annual Training Area - 24 Hours Required**  
746.1309(a)

### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.