

Bulldog Early Learning Center

1201 E GOODE ST
QUITMAN, TX

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Sep 22, 2025



● 3 Critical ● 1 Important

Across 3 inspections since 2023, the issues cited most often were Written Operational Policies - Unassigned Epinephrine Auto-Injectors (2), Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (1), and Fire Extinguishers Serviced (1). Of 4 total findings, 3 were critical.

Inspection Visits

Sep 22, 2025 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**
746.4907(a)(1)

Sep 26, 2024 1 Finding ● 1 Critical

- **Fire Extinguishers Serviced**
746.5307(b)

Nov 23, 2023 2 Findings ● 1 Critical ● 1 Important

- **Written Operational Policies - Unassigned Epinephrine Auto-Injectors**
746.501(a)(29)
- **Written Operational Policies - Support Inclusive Services**
746.501(a)(30)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.