

Dumas Discovery Center

310 E 1ST ST
DUMAS, TX

5 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 20, 2026

● 5 Critical

Across 5 inspections since 2025, the issues cited most often were Child/Caregiver Ratio - 18 Months Difference in Age (2), Diapering Procedures - Sanitizing Diaper Changing Area (1), and Requirements During Probation (1). Of 5 total findings, 5 were critical.

Inspection Visits

Apr 20, 2026 1 Finding ● 1 Critical

● **Diapering Procedures - Sanitizing Diaper Changing Area**
746.3505(e)

Sep 18, 2025 1 Finding ● 1 Critical

● **Child/Caregiver Ratio - 18 Months Difference in Age**
746.1605(1)

Sep 9, 2025 1 Finding ● 1 Critical

● **Child/Caregiver Ratio - 18 Months Difference in Age**
746.1605(1)

Aug 19, 2025 1 Finding ● 1 Critical

● **Requirements During Probation**
745.8641

Jul 21, 2025 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Requirement of Gas Leak Inspection**
746.5401

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.