

Sandra Brown Ratliff

10123 GROVE GLEN DR
HOUSTON, TX

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Sep 16, 2025



● 1 Critical ● 3 Important ● 1 Administrative

Across 3 inspections since 2023, the issues cited most often were Children's Records - Admission Information (2), Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility (1), and Children's Products- Annual Certification (1). Of 5 total findings, 1 was critical.

Inspection Visits

Sep 16, 2025 1 Finding ● 1 Critical

- Registered or Licensed Child-Care Home Must Be Equipped with a Working Carbon Monoxide (CO) Detection System, Unless Located in a School Facility

747.5331

Nov 27, 2023 1 Finding ● 1 Important

- Children's Records - Admission Information

747.603(a)(2)

Oct 16, 2023 3 Findings ● 2 Important ● 1 Administrative

- Children's Products- Annual Certification

747.3935(b)

- Children's Records - Admission Information

747.603(a)(2)

- Primary Caregiver Annual Training - More Than 5 Years Experience

747.1309(e)(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.