

Mercy Gate Learning Center

9627 EAGLE DR
MONT BELVIEU, TX

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Nov 8, 2024



● 3 Critical ● 2 Important

Across 3 inspections since 2023, the issues cited most often were Requirement of Gas Leak Inspection (1), Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months (1), and Written Operational Policies - Support Inclusive Services (1). Of 5 total findings, 3 were critical.

Inspection Visits

Nov 8, 2024 2 Findings ● 2 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**

746.5101(a)

● **Requirement of Gas Leak Inspection**

746.5401

Nov 4, 2024 1 Finding ● 1 Important

● **Written Operational Policies - Support Inclusive Services**

746.501(a)(30)

Nov 14, 2023 2 Findings ● 1 Critical ● 1 Important

● **Each Caregiver and the Director Must Have Current Training in Pediatric CPR**

746.1315(b)

● **Children's Records - Immunizations**

746.603(a)(4)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.