

Fase Holding Company LLC dba Lang Aycock Child Care Center

311 PINE ST
SWEETWATER, TX

3 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Apr 27, 2026

● 5 Critical

Across 3 inspections since 2026, the issues cited most often were Requirement of Gas Leak Inspection (1), Responsibilities of Employees and Caregivers -Demonstrate Competency, Good Judgment, Self-control (1), and Personal Use of Electronic Devices, Such as Cell Phones, MP3 Players, Tablets, and Video Games (1). Of 5 total findings, 5 were critical.

Inspection Visits

Apr 27, 2026 1 Finding ● 1 Critical

● **Requirement of Gas Leak Inspection**
746.5401

Feb 9, 2026 2 Findings ● 2 Critical

● **Responsibilities of Employees and Caregivers -Demonstrate Competency, Good Judgment, Self-control**
746.1201(1)

● **Personal Use of Electronic Devices, Such as Cell Phones, MP3 Players, Tablets, and Video Games**
746.1203(3)(D)

Jan 16, 2026 2 Findings ● 2 Critical

● **Basic Requirements for Infants - Free From Choking Objects That May Cause Choking in Infants or Toddlers**
746.2401(6)

● **Report Situation Placing Children at Risk**
746.305(a)(6)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.