

Susy's Daycare Center

308 W WILLIAM CANNON DR # B
AUSTIN, TX

4 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Mar 4, 2026

● 5 Critical

Across 4 inspections since 2023, the issues cited most often were Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing (2), Annual Sanitation Inspection (1), and Safety - Electrical Outlets Covered (1). Of 5 total findings, 5 were critical.

Inspection Visits

Mar 4, 2026 1 Finding ● 1 Critical

● **Annual Sanitation Inspection**
746.3401(a)

Feb 4, 2026 2 Findings ● 2 Critical

● **Nutrition and Food Service - Drinking Water Available at Every Snack, Mealtime, and During and After Active Play**
746.3301(f)(1)

● **Safety - Electrical Outlets Covered**
746.3701(1)

Apr 4, 2025 1 Finding ● 1 Critical

● **Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing**
746.4901(a)

Dec 13, 2023 1 Finding ● 1 Critical

● **Active Play Surfacing In Use Zones - Loose Fill or Unitary Surfacing**
746.4901(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.