

Treehouse Childrens Academy

5901 HILLSIDE RD
AMARILLO, TX

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 9, 2026



● 4 Critical ● 1 Important

Across 4 inspections since 2025, the issues cited most often were Required Records Maintained and Made Available - Safety Documentation for Emergency Drills, Fire Extinguishers, & Smoke Detectors (1), Nutrition and Food Service - Must Not Serve Identified Foods to Allergic Child (1), and Required Admission Information-Child's Allergies and Completed Food Allergy Plan (1). Of 5 total findings, 4 were critical.

Inspection Visits

Jan 9, 2026 1 Finding ● 1 Important

- **Required Records Maintained and Made Available - Safety Documentation for Emergency Drills, Fire Extinguishers, & Smoke Detectors**

746.801(10)

Sep 29, 2025 2 Findings ● 2 Critical

- **Nutrition and Food Service - Must Not Serve Identified Foods to Allergic Child**

746.3301(i)

- **Required Admission Information-Child's Allergies and Completed Food Allergy Plan**

746.605(15)

Sep 24, 2025 1 Finding ● 1 Critical

- **Supervision Ensures Each Child?s Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child?s on Going Activity**

746.1205(a)(4)

Sep 5, 2025 1 Finding ● 1 Critical

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**
746.5101(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.