

Genesis Learning Center

1144 N CENTRAL AVE
BROWNSVILLE, TX

3 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Oct 3, 2024



● 3 Critical ● 1 Important

Across 3 inspections since 2024, the issues cited most often were Parental Notification of Less Serious Injuries (1), Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface (1), and Child Passenger Safety Seat System - Not Expired or Damaged in Accident (1). Of 4 total findings, 3 were critical.

Inspection Visits

Oct 3, 2024 1 Finding ● 1 Important

- **Parental Notification of Less Serious Injuries**
746.307(c)

Jan 19, 2024 1 Finding ● 1 Critical

- **Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface**
746.3503(a)

Jan 12, 2024 2 Findings ● 2 Critical

- **Emergency Lighting**
746.5211
- **Child Passenger Safety Seat System - Not Expired or Damaged in Accident**
746.5607(b)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.