

Treehouse Learning Centers-Cypress

11604 CYPRESS NORTH HOUSTON RD
CYPRESS, TX

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Jul 9, 2025

● 5 Critical

Across 2 inspections since 2025, the issues cited most often were Adequate Lighting During Naptime (1), Infant May Not Sleep in a Restrictive Device (1), and Infant Care Area Furnishings and Equipment -Use of Safety Straps (1). Of 5 total findings, 5 were critical.

Inspection Visits

Jul 9, 2025 4 Findings ● 4 Critical

● **Infant Care Area Furnishings and Equipment -Use of Safety Straps**

746.2407

● **Requirements for Feeding Infants-Hold Through 6-months**

746.2419(1)

● **Infant May Not Sleep in a Restrictive Device**

746.2426(a)(1)

● **Adequate Lighting During Naptime**

746.2911

Apr 4, 2025 1 Finding ● 1 Critical

● **Annual Fire Inspection - Before Initial Permit Issued and Every 12 Months**

746.5101(a)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.