

The Learning Experience

3821 E LEAGUE CITY PKWY
LEAGUE CITY, TX

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Sep 19, 2025



● 4 Critical ● 1 Important

Across 3 inspections since 2024, the issues cited most often were Requirements for Feeding Infants - Other Use of Handwashing Sink (1), Safety Requirements for Cribs - Snug Fitting Sheets (1), and Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children (1). Of 5 total findings, 4 were critical.

Inspection Visits

Sep 19, 2025 2 Findings ● 2 Critical

● Safety Requirements for Cribs - Snug Fitting Sheets
746.2409(a)(2)

● Requirements for Feeding Infants - Other Use of Handwashing Sink
746.2419(8)

Sep 5, 2025 1 Finding ● 1 Critical

● Mark Cleaning Supplies, Toxic Materials; Keep Separate From Food and Inaccessible to Children
746.3407(12)

Sep 13, 2024 2 Findings ● 1 Critical ● 1 Important

● Required Admission Information - Emergency Contact
746.605(6)

● Written Operational Policies - Emergencies
746.501(a)(5)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.