


## The Preferred Preschool

1615 OATES DR  
MESQUITE, TX

### 5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 15, 2026



● 3 Critical ● 2 Administrative

Across 5 inspections since 2024, the issues cited most often were Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less (2), Required Personnel Records - Required Affidavit (Form 2912) (1), and Posting Requirements - Licensing Parent Notification Poster (1). Of 5 total findings, 3 were critical.

### Inspection Visits

**Jan 15, 2026** 1 Finding ● 1 Critical

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**  
746.4907(a)(1)

**Dec 17, 2025** 1 Finding ● 1 Administrative

- **Required Personnel Records - Required Affidavit (Form 2912)**  
746.901(5)

**Dec 16, 2025** 1 Finding ● 1 Administrative

- **Posting Requirements - Licensing Parent Notification Poster**  
746.401(7)

**Mar 11, 2025** 1 Finding ● 1 Critical

- **Responsibilities - Not Interfere with an Inspection or Investigation**  
745.8411(a)

**Apr 26, 2024** 1 Finding ● 1 Critical

### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

- **Installation and Maintenance of Loose-fill Surfacing - Six Inches if Equipment 5 Ft or Less**  
746.4907(a)(1)

#### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.