

AlphaBEST @ Miller ? Frisco

300 CYPRESS HILL DR

LITTLE ELM, TX

4 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: May 25, 2026



● 3 Critical ● 2 Important

Across 4 inspections since 2026, the issues cited most often were Required Personnel Records -Training Hours (1), Fire Drill Monthly - Exit in 3 Minutes (1), and Maintenance Procedures for Active Play - Monthly Maintenance Checklist (1). Of 5 total findings, 3 were critical.

Inspection Visits

May 25, 2026 1 Finding ● 1 Important

● **Required Personnel Records -Training Hours**

744.901(6)

May 15, 2026 2 Findings ● 1 Critical ● 1 Important

● **Fire Drill Monthly - Exit in 3 Minutes**

744.3559(1)

● **Maintenance Procedures for Active Play - Monthly Maintenance Checklist**

744.3113(b)

May 11, 2026 1 Finding ● 1 Critical

● **Children Handwashing Before Eating**

744.2517(1)

Mar 4, 2026 1 Finding ● 1 Critical

● **AP Report Child Injury Requiring Medical Treatment by a Health-Care Professional or Hospitalization**

744.305(a)(2)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.