

# Casner Christian Academy

2700 NORTHLAND DR  
AUSTIN, TX

## 3 Inspection Visits Since 2025 - 4 Findings

Most recent inspection: Aug 28, 2026

● 4 Critical

Across 3 inspections since 2025, the issues cited most often were Supervision Ensures Each Child's Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child's on Going Activity (1), Parental Communication - Situation That Placed a Child at Risk (1), and Garbage Inaccessible to Children; Maintained in Sanitary Manner (1). Of 4 total findings, 4 were critical.

## Inspection Visits

**Aug 28, 2026** 2 Findings ● 2 Critical

● **Supervision Ensures Each Child's Safety, Well-being, Including Physical Proximity and Auditory or Visual Awareness of Each Child's on Going Activity**

746.1205(a)(4)

● **Parental Communication - Situation That Placed a Child at Risk**

746.307(b)(4)

**Feb 13, 2025** 1 Finding ● 1 Critical

● **Garbage Inaccessible to Children; Maintained in Sanitary Manner**

746.3407(8)

**Jan 20, 2025** 1 Finding ● 1 Critical

● **Documentation of Gas Leak Inspection**

746.5405

### About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.