

Cathedral House

1117 TEXAS ST
HOUSTON, TX

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Oct 31, 2025



● 3 Critical ● 2 Important

Across 5 inspections since 2024, the issues cited most often were Training Requirements for Employees, Caregivers, and Directors - Pediatric CPR (1), Annual Sanitation Inspection (1), and Written Feeding Instructions - Signed and Dated by Parent or Health-Care Professional (1). Of 5 total findings, 3 were critical.

Inspection Visits

Oct 31, 2025 1 Finding ● 1 Critical

- **Training Requirements for Employees, Caregivers, and Directors - Pediatric CPR**
746.1301(a)(4)(A)

Oct 30, 2025 1 Finding ● 1 Critical

- **Annual Sanitation Inspection**
746.3401(a)

Oct 23, 2025 1 Finding ● 1 Important

- **Written Feeding Instructions - Signed and Dated by Parent or Health-Care Professional**
746.2421(a)

Oct 16, 2025 1 Finding ● 1 Critical

- **Diaper Changing Equipment - Smooth, Non-absorbent, Easy to Clean Surface**
746.3503(a)

Nov 13, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.

● **Children's Records - Health Statement**

746.603(a)(3)

About this report

Childery generates this report from public inspection records published by the Texas Health and Human Services Commission. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Texas Health and Human Services Commission.